

# AGIP CITY 4T



AGIP CITY 4T is a semisynthetic oil formulated for scooters with 4 stroke engines. Suitable for both water and air cooled engines, withstands severe engine operation. There are no use limitations as regards ambient temperature range and so AGIP CITY 4T can be used in all seasons and in all latitudes.

## CHARACTERISTICS (TYPICAL FIGURES)

### AGIP CITY 4T

<b>SAE Grade</b>		<b>10W-40</b>
Viscosity at 100°C	mm <sup>2</sup> /s	14,1
Viscosity at 40°C	mm <sup>2</sup> /s	95
Viscosity at -25°C	mPa.s	6800
Viscosity Index	-	154
Flash Point COC	°C	220
Pour Point	°C	-30
Mass Density at 15°C	kg/m <sup>3</sup>	0,873

## PROPERTIES AND PERFORMANCE

- The synthetic components help form an oily film which adheres tenaciously to metal surfaces even when the engine has been standing for some time, thus ensuring easy starting and greatly reduced wear even under high load conditions.
- The presence of low-volatility synthetic components with high thermal stability reduces oil consumption.
- Minimizes the formation of lacquer and varnish, as well as sludge and other engine deposits. Prevents ring sticking and keeps pistons clean, while maintaining potential deposits in suspension.

## SPECIFICATIONS

AGIP CITY 4T meets the requirements of the following services and specifications:

- JASO MA
- API SJ
- ACEA A3
- CCMC G5